



Certificate of Participation

This is to certify that ISAG Institutional Member

Laboklin
Bad Kissingen, Deutschland
has participated in the

2022-2023 International Dog (*Canis lupus familiaris*) SNP DNA Typing Comparison Test

with the following result:

Absolute genotyping accuracy rank: Rank not issued for 2022-2023 Dog SNP comparison test

Total number of participating labs: **26**

Absolute genotyping Accuracy (Rank not issued for 2022-2023 Dog SNP comparison test)	
Rank	% Labs
1: 100% – 98%	-
2: 97.9% – 95%	-
3: 94.9% – 90%	-
4: 89.9% – 80%	-
5: Below 80%	-

THE SCORING SYSTEM:

Based on 113 ISAG Core Dog SNP panel (available on the ISAG web site)

Absolute genotyping accuracy (Aga): $(Nga - Gea) / Nga$ (as percentage)
considers the total number of discrepancies, that is genotyping errors and “blanks”
(no genotype reported)

Nga: total number of expected genotypes (reference samples not included)

Gea: total number of genotype errors, including blanks

President: Dr. Clare Gill

Secretary: Dr. Sofia Mikko

ISAG is a scientific society that provides a forum for the exchange of information, methods and materials between members and for standardization of genotyping nomenclature. ISAG is not involved in the accreditation of service genotyping laboratories or institutions and ISAG does not regard participation in its Comparison Tests as indicating that a laboratory is internationally accredited. This certificate reflects the laboratory performance in the specific comparison test.